

## Protective hose - WP-STEEL PVC C 10 - 3240867

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Galvanized steel protective hose with PVC coating

### Key Commercial Data

Packing unit	1 M
Minimum order quantity	10 M
Weight per Piece (excluding packing)	87.0 g
Custom tariff number	83071000
Country of origin	Germany

### Technical data

#### Dimensions

Inner diameter (f)	7.00 mm
Outside diameter	10.00 mm

#### Ambient conditions

Ambient temperature (operation)	-25 °C ... 80 °C
Short-term temperature	100 °C

#### General

Color	black
Type	Spirals, sheathed
Material	Steel, galvanized/PVC
Bending radius, static	95.00 mm

### Classifications

#### eCl@ss

eCl@ss 4.0	27141131
eCl@ss 4.1	27141131

# Protective hose - WP-STEEL PVC C 10 - 3240867

## Classifications

### eCl@ss

eCl@ss 5.0	27141131
eCl@ss 5.1	27141120
eCl@ss 6.0	27141120
eCl@ss 7.0	27141120
eCl@ss 8.0	27430301

### ETIM

ETIM 3.0	EC000897
ETIM 4.0	EC001179
ETIM 5.0	EC001179

### UNSPSC

UNSPSC 6.01	30211812
UNSPSC 7.0901	39121410
UNSPSC 11	39121411
UNSPSC 12.01	39121411
UNSPSC 13.2	39121411

## Approvals

### Approvals

---

#### Approvals

VDE Zeichengenehmigung

---


#### Ex Approvals

---

Approvals submitted

---

### Approval details

VDE Zeichengenehmigung 
--

## Protective hose - WP-STEEL PVC C 10 - 3240867

### Accessories

#### Accessories

##### Corrugated pipe screw connection

Screw connection - WP-G BRASS IP65 PG7 - 3241051



Cable gland made from brass with Pg thread, IP65 protection

---

Screw connection - WP-G BRASS IP65 M10 - 3241058



Cable gland made from brass with metric thread, IP65 protection

---

### Mounting material

Hose clamp - WP-BASE HF 9-10 - 3240965



Hose clamps

---

### Protective cap

Cable protection end sleeve - WP-SC BRASS WP PVC 10 - 3241072



End sleeves as cable protection, made of brass, for WP-STEEL PVC C

---