



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		C		REVISED PER ECO-14-006554	09MAY2014	NK	MM



- 1 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING.
- 2 BREAKAWY NOTCH ANGLE CAN BE ORIENTED TO THE RIGHT (AS SHOWN) OR TO THE LEFT
- 3 HOUSING: GLASS FILLED THERMOPLASTIC, COLOR - BLACK. (WILL WITHSTAND VAPOR PHASE REFLOW.)
- 4 0.000076[.0000030] MIN GOLD OVER
 0.00068[.000027] Pd/Ni ON CONTACT AREA,
 0.00254-0.00508 [.000100-.000200] MATTE TIN ON SOLDER TAIL, ALL OVER 0.00127 [.000050] NICKEL.



RECOMMENDED PC BOARD MOUNTING DIMENSIONS FOR 1.60 [.063] THICK PC BOARD AND 0.305 [.0120] STENCIL THICK.

4	101.19 [3.984]	99.06 [3.900]	39	80	8-1977957-0
4	2.13 [.084]	-	0	2	1977957-2
PLATING	C	B	A	NO. OF POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KIRAN HOLAL 19SEP2013	TE Connectivity				
DIMENSIONS: mm [INCHES]		CHK MIKE MILLER 19SEP2013					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD MIKE MILLER 19SEP2013	NAME				
0 PLC ± - 1 PLC ± - 2 PLC ± 0.51[.02] 3 PLC ± 0.127[.005] 4 PLC ± 0.0127[.0005] ANGLES ± -		PRODUCT SPEC	HEADER ASSEMBLY, MOD II, BREAKAWAY, HIGH TEMPERATURE, RIGHT ANGLE, DOUBLE ROW, .100 X.100 C/L, W/.025 SQUARE POSTS				
MATERIAL		FINISH	WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
SEE TABLE		SEE TABLE	-	A2	00779	C=1977957	-
		CUSTOMER DRAWING		SCALE	SHEET	REV	
				4:1	1 of 1	C	

1977957