

20 19 18 17 16 15 14 13 12 11 9 8 7 6 5 4 3 2 1



VIEW ON MATING SIDE

|   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |   |
|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|---|
| Q | X  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C  | C | X |   |   |   |   |   |   |   |
| D | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B  | B | B |   |   |   |   |   |   |   |
| Q | Z  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | A  | Z |   |   |   |   |   |   |   |   |
|   | 32 | 31 | 30 | 29 | 28 | 27 | 26 | 25 | 24 | 23 | 22 | 21 | 20 | 19 | 18 | 17 | 16 | 15 | 14 | 13 | 12 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |

A = 30 STANDARD CONTACTS L = 3  
 B = 32 STANDARD CONTACTS L = 3  
 C = 30 STANDARD CONTACTS L = 3  
 Z = 2 FMLB CONTACTS +0.6 L = 3  
 X = 2 FMLB CONTACTS +0.6 L = 3  
 S = 96 TOTAL NUMBER OF CONTACTS

| MARKING           | STANDARD                                     |
|-------------------|--|
| PERFORMANCE LEVEL | G2/O = CONTACT AREA LEVEL2 / TERMINATION TIN |
| FLUX PROOF        | NO   |
| FIXING CLIP       | NO   |
| DIMENSIONS        | SD-85003-0001 SHT 1                          |

|                |                   |                         |
|----------------|-------------------|-------------------------|
| X              | G2/O              | c1,32                   |
| Z              | G2/O              | a1,32                   |
| C              | G2/O              | c2-31                   |
| B              | G2/O              | b1-32                   |
| A              | G2/O              | a2-31                   |
| CONTACT SYMBOL | PERFORMANCE LEVEL | CONTACT POSITION NUMBER |

|   |  |   |  |  |   |                              |                     |
|---|--|---|--|--|---|------------------------------|---------------------|
| EC NO: 2004-XXXX<br>DRAWN: S. 09/09/03<br>CHK: G.L. 09/09/03<br>APPR: L. 09/09/03 | QUALITY SYMBOLS<br>MAJOR <br>CRITICAL  | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED):<br>4 PLACES $\pm 0.$ mm $\pm.$ INCH<br>3 PLACES $\pm 0.$ mm $\pm.$ INCH<br>2 PLACES $\pm 0.$ mm $\pm.$ INCH<br>1 PLACE $\pm 0.$ mm $\pm.$ INCH | SCALE<br>DESIGN UNITS<br><input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH                                  | THIRD ANGLE PROJECTION<br><input checked="" type="checkbox"/> THIRD ANGLE <input type="checkbox"/> FIRST ANGLE | DIMENSIONS:<br><input type="checkbox"/> mm <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm ONLY <input type="checkbox"/> INCH ONLY | SHT 1 REV<br>REVISIONS       |                     |
|   | DRAWN BY & DATE<br>S.S. 09/09/1999   | CHECKED BY & DATE<br>G.L. 09/09/1999  | APPROVED BY & DATE<br>G.L. 09/09/1999  | CAD FILENAME<br>SD-85003-0191.S01  | MATERIAL NO.<br>85003-0191  | DRAWING NO.<br>SD-85003-0191 | SHEET NO.<br>1 OF 1 |
|   | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS   |   | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |  |   |                              |                     |
|   | TITLE: 96 POS MALE CONNECTOR ACCORDING DIN 41612 STYLE C CONTACTS ARRANGEMENT  |   | MOLEX INCORPORATED   |  |   |                              |                     |

24-border.DGN REV 4 96/06/12 LEVEL 6 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1