



NOTES:

- I. MATERIALS OF CONSTRUCTION:
 BODY = STAINLESS STEEL (ASTM A 582, TYPE 303 COND A NON MAG)
 GOLD PLATED PER AMPHENOL SPEC. 349-50669
 FEMALE CONTACT = BeCu (QQ-C-530, ALLOY 173 COND H), GOLD PLATED PER AMPHENOL SPEC. 349-50670
 INSULATOR = PTFE PER ASTM D 1710 OR EQUIV

901-9704		REVISIONS			
DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR
THIRD ANGLE PROJ.	A	RELEASE TO MFG.	6/30/87	34330	RF/SP
	D	SEE SHEET 1	7/1/02	44086	CPM



SCALE 5.000



RECOMMENDED CABLE STRIPPING DIMENSIONS
 SCALE 4.000

CUSTOMER OUTLINE DRAWING
 ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL ±.015 (0,381 mm) 3 PLACE DECIMAL ±.005 (0,127 mm) ANGLES ± 1°	MATERIAL	DRAWN C. McGRATH	DATE 19-Jun-02	TITLE SMA JACK CAPTIVE CONTACT FOR .141 SEMI-RIGID CABLE	Amphenol Amphenol Corporation Communication and Network Products Division Danbury, CT U.S.A. 06810
	REFERENCE EAR 111-100017 H.P. 1250-1359-1 GEN# ASSYF54_SMA	ENGINEER O. BARTHELME	DATE 19-Jun-02		
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.		APPROVED O. BARTHELME	DATE 26-Jun-02		SCALE: 12.0:1 SHEET 2 OF 2
		CAD FILE I:\SMA901-9704	CODE ID 74868	DWG SIZE B	DRAWING NO. 901-9704